

## ปรกติแอนด์เซอคิท

CODE	TYPE	KIT	Kit	Assy.	Assy.	DC.	Transformer	
รหัส	แบบวงจร	MONO	stereo	mono ลงปริ้นท์	stereo ลงปริ้นท์	supply	V.	A.
PA28	ขยายซูปเปอร์จิว 1/2W TDA7052	90	180	150	300	3-12V.		
PA500	ขยายจิว LM386	50	100	100	200	9V.		
PA44	ขยายทรวานซีลเทอริ 1/2W.	65	130	115	230	9-12V.		
PA57	1.6W TDA7231	90	180	150	300	12	9	0.5A.
PA22	ขยายจิวสเตอริโอ 2W.TDA2822	-	85	-	150	.9V		
PA41	ขยาย 2W. +TONE TDA2822	160	320	210	420	12V.		
PA39	ขยาย 6W.TDA7217	135	270	185	370	12V.		
PA40	ขยาย 6W.STEREO TBA800	-	175	-	225.	12V.		
PA59	10W. MONO TDA2003	140	280	190	380	12v	12v	2A.
PA36	10+10W. STK4112	-	425	-	525	±16V.	12V.	3A.
PA02	10+10W. TDA2009	-	200	-	275	12V	12V	1A.
PA26B	10+10W. STK4362		450		550	30V	22V.	3A.
PA26	HYBRID STEREO AMP.14-40W.		425		525	24V	18V.	3A.
PA26C	15+15W. STK4392		475		575	39V.	27V.	3A.
PA18	15W.OTL TDA2030	120	240	185	370	24V.	18V.	3A.
PA37	15+15W. STK4122		425		525	±20V.	15V.	3A.
PA30	25+25W. STK4142		500		600	±24V.	18V.	3A.
PA14	25x3 SURROUND AMP.		1100		1300	±24V.	18V.	3A.
PA19	30 W.OTL. TDA2030	200	400	270	540	32V	24V	1A.
PA03	30 W.OCL TONE+MAIN	275	550	350	700	±24V.	18V	3A.
PA03M	30W.OCL MAIN	190	380	250	500	±24V.	18V	3A.
PA30M	30+30W. STK4152	-	550	-	650	±28V.	20V.	3A.
PA31	30+30W. STK4162	-	600	-	700	±30V	22V	3A
PA33	30+30W. STK4162+tone	-	950	-	1050	±30V	22V	3A
PA20	35W.BRIDGE AMP.TDA2030	180	360	250	500	±15V	12V	2A
PA25	40W. BRIDGE HA13118	190	380	250	500	12V		
PA04	40W.OCL.MAIN	300	600	400	800	±32V	24V	3A

## ปรกติแอนด์เซอคิท

CODE รหัส	TYPE แบบวงจร	KIT MONO	Kit stereo	Assy. mono ลงปริ้นท์	Assy. stereo ลงปริ้นท์	DC. supply	Transformer V. A.	
PA58	50W.OCL. MAIN TIP2955/TIP3055	245	490	295	590	±35V	24V	3A
PA05	50W.OCL.MAIN	245	490	325	650	±35V	24V	3A
PA06	50W.OCL. PRE+TONE+MAIN	390	780	465	930	±35V	24V	3A
PA07	50W.OTL. TONE+MAIN	350	700	425	850	56V	40V	3A
PA08	50 W.MOSFET MAIN	600	1200	690	1380	±35V	24V	3A
PA12	50W. HEXFET MAIN	450	900	550	1100	±35V	24V	3A
PA43	50W. SUBBASS	550	-	650	-	±35V	24V	3A
PA32	50+50W.STK4192	-	700	-	800	±35V	24V	3A
PA34	50+50W.STK4192 +TONE	-	1200	-	1350	±35V	24V	3A
PA09	60W.MOSFET MAIN	600	1200	690	1380	±49V	35V	3A
PA09M	60W.MOSFET TO.3 MAIN	800	1600	900	1800	±49V	35V	3A
PA38	70W.CLASS H.	650	1300	750	1500	12V	12V	5A
PA10	100W. OTL.	575	1150	650	1300	90V	62V	5A
PA11	100W.OCL.	525	1050	600	1200	±42V	27V	5A
PA54	100w SUB BASS	800	-	900		±56V	40V	5A
PA56	100 W.ULTRA LD.	1300	2600	1500	3000	+56V	40v	10A.
PA23	100W.POWER MOSFET	650	1300	750	1500	±56V	40V	5A
PA23A	100W.POWER MOSFET TO.3	850	1700	950	1900	±56V	40V	5A
PA24	100W. STK4044	750	1500	850	1700	±50V	35V	5A
PA27	100+100W. STEREO STK4231	-	850	-	970	±50V	35V	5A
PA24A	120W. STK4046II	800	1600	900	1800	±50V	35V	5A
PA27A	120+120W. STK4241	-	1000	-	1100	±50V	35V	5A
PA21	120W. SUPER BRIDGE	600	1200	750	1500	±18V	12V	10A
PA13	150W.MOSFET	900	1800	1000	2000	±56V	40V	5A
PA13M	150W.Mosfet ใหม่ ขนาน เฟท	1100	2200	1200	2400	±56V	40V	5A
PA24B	150W.STK4048	800	1600	900	1800	±60V	42V	5A
PA35	200W.SUPER BRIDGE	1200	2400	1400	2800	±28V	20V	10A

## ปรกติแอนด์เซอคิท

CODE รหัส	TYPE แบบวงจร	KIT MONO	Kit stereo	Assy. mono ลงปริ้นท์	Assy. stereo ลงปริ้นท์	DC. supply	Transformer V. A.	
PA16	200W.CLASS G.	2100	4200	2500	5000	***		
PA57	200W. STK4050	1300	2600	1400	2800	+56V	40V	10A
PA55	240W. CLASS D.	-	900	-	1000	+24V	18V	5A
PA43	250W MOSFET	2225	4450	2450	4900	± 47V	34v	10A.
PA53	250W LD.	1750	3500	1900	3800	± 60V	42	10a.
PA17	300W.MOSFET TO-3	4000	8000	4500	9000	+90V	60V	10A
PA29	300W.MOSFET QUASI OUTPUT	3300	6600	3500	7000	+80V	60V	10A
PA15	500W.BIPOLAR	3300	6600	3700	7400	+80V	56V	15A
PA43	500W. MOSFET	4900	9800	5500	10500	+80V	56V	15A
PA42	700 W.BIPOLAR	5700	11400	6700	13400	****		
PA51	800W MOSFET	4200	8400	4500	9000	± 80V	56v	15A
PA60	STK441	600	1200	650	1300			
PA61	STK443	650	1300	700	1400			
PA62	STK439	580	1160	630	1250			
PA62	STK4352	400	800	450	900			

หมายเหตุ :- ราคา ณ วันที่ 31 ตุลาคม 2555 ราคานี้อาจเปลี่ยนแปลงได้โดยไม่จำเป็นต้องแจ้งให้ทราบล่วงหน้า

PRICES SUBJECT TO CHANGE WITH OUT PRIOR NOTICE..